



## **RFBLN 2012 (0805) Series – RoHS Compliance**

## MULTILAYER CERAMIC BALUN TRANSFORMER

## Halogens Free Product

# 2.4 GHz ISM Band Working Frequency

# P/N: RFBLN2012090A1T

\*Contents in this sheet are subject to change without prior notice.



### FEATURES


- 1. Multilayer LTCC ( Low Temperature Cofired Ceramics ) Technology
- 2. Miniatured Size 2.00 x 1.25 x 0.95  $mm^3$
- 3. Low Insertion Loss reduces power consumption
- 4. Low inband Amplitude and Phase imbalance enable high performance wireless system operation.
- 5. Enable for DC Biasing of PA or Mixer
- 6. Suitable for 2.45 GHz Working Frequency Operation
- 7. Special Balance/ Unbalance impedance is upon requested.

### APPLICATIONS

- 1. 2.4GHz ISM Band RF Application
- 2. Bluetooth, Wireless LAN, HomeRF

### CONSTRUCTION

Top view



PIN Connection		PIN	Connection
P1	Unbalance Port	P4	Balance Port
P2	2 DC or GND P5		GND
P3	Balance Port	P6	NC


#### DIMENSIONS

	Figure	Symbol	Dimension (mm)
W		L	2.00 ± 0.15
		W	1.25 ± 0.15
		т	0.95 ± 0.10
╶┙╵ <b>═╹┖</b> ┙ <b>═</b>		А	0.20 ± 0.20
		В	0.30 ± 0.20
		С	0.35 ± 0.20
Top view	Bottom view Side view	D	0.65 ± 0.20
		E	0.25 ± 0.15

### **ELECTRICAL CHARACTERISTICS**

RFBLN2012090A1T	Specification
Frequency range	2450 ± 50 MHz
Insertion Loss (dB)	1.0
Impedance ( $\Omega$ ) Unbalanced	50
Impedance ( $\Omega$ ) Balanced	100
Return Loss (dB) Min.	10
Inband Amplitude imbalance (dB) Max.	2.0
Inband Phase imbalance (degree)	$180^{\circ} \pm 10^{\circ}$
Operation Temperature Range	-40°C ~ +85°C

**Typical Electrical Chart** 



### SOLDER LAND PATTERN

Figure	Symbol	Dimension (mm)	
D	A	1.00 ± 0.10	
	В	0.35 ± 0.10	
	С	0.30 ± 0.10	
	D	0.65 ± 0.10	
ш	E	0.80 ± 0.10	
B C	Line width to be design to match 50 $\Omega$ characteristic impedance, depending on PCB material and thickness		

#### RELIABILITY TEST

Test item	Test condition / Test method	Specification
Solderability	*Solder bath temperature : $235 \pm 5^{\circ}$ C	At least 95% of a surface of each terminal
JIS C 0050-4.6	*Immersion time $: 2 \pm 0.5$ sec	electrode must be covered by fresh solder.
JESD22-B102D	Solder:Sn3Ag0.5Cu for lead-free	
Leaching	*Solder bath temperature : $260 \pm 5^{\circ}C$	Loss of metallization on the edges of each
(Resistance to	*Leaching immersion time $\div$ 30 $\pm$ 0.5 sec	electrode shall not exceed 25%.
dissolution of	Solder : SN63A	
metallization)		
IEC 60068-2-58		
Resistance to soldering heat	*Preheating temperature : $120~150^{\circ}$ C,	No mechanical damage.
JIS C 0050-5.4	1 minute.	Electrical specification shall satisfy the
	*Solder temperature : 270±5°C	descriptions in electrical characteristics under
	*Immersion time : 10±1 sec	the operational temperature range within -40
	Solder : Sn3Ag0.5Cu for lead-free	~ 85°C.
		Loss of metallization on the edges of each
	Measurement to be made after keeping at	electrode shall not exceed 25%.
	room temperature for 24±2 hrs	
Drop Test	*Height : 75 cm	No mechanical damage.
JIS C 0044	*Test Surface : Rigid surface of concrete or	Electrical specification shall satisfy the
Customer's specification.	steel.	descriptions in electrical characteristics under
		the operational temperature range within -40
	*Times : 6 surfaces for each units ; 2 times for each side.	~ 85℃.
Vibration	*Frequency : 10Hz~55Hz~10Hz(1min)	No mechanical damage.
JIS C 0040	*Total amplitude : 1.5mm	Electrical specification shall satisfy the
	*Test times:6hrs.(Two hrs each in three	descriptions in electrical characteristics under
	mutually perpendicular directions)	the operational temperature range within -40
		~ 85°C.
Adhesive Strength		
of Termination	*Pressurizing force :	No remarkable damage or removal of the
JIS C 0051- 7.4.3	5N(≦0603) ; 10N(>0603)	termination.
	*Test time ÷ 10±1 sec	
Bending test	The middle part of substrate shall be	No mechanical damage.
JIS C 0051- 7.4.1	pressurized by means of the pressurizing rod	Electrical specification shall satisfy the
	at a rate of about 1 mm/s per second until the	descriptions in electrical characteristics under
	deflection becomes 1mm/s and then pressure	the operational temperature range within -40
	shall be maintained for 5±1 sec.	~ 85°C.
	Measurement to be made after keeping at	
	room temperature for 24±2 hours	

Г



## Approval sheet

Temperature cycle JIS C 0025 High temperature	<ol> <li>30±3 minutes at -40°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>30±3 minutes at +85°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>Total 100 continuous cycles</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> </ol>	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
JIS C 0021	*Temperature : 85°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Humidity (steady conditions) JIS C 0022	<ul> <li>*Humidity : 90% to 95% R.H.</li> <li>*Temperature : 40±2°C</li> <li>*Time : 1000+24/-0 hrs.</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> <li>※ 500hrs measuring the first data then 1000hrs data</li> </ul>	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85℃.
Low temperature JIS C 0020	*Temperature : -40°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.

#### SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,





Fig 2. Infrared soldering profile

### **ORDERING CODE**

RF	BLN	201209	0	Α	1	Т
Walsin	Product	Dimension code	Unit of	Application	Specification	Packing
RF device	Code	Per 2 digits of	dimension	A : 2.4GHz ISM	Design Code	T:7" Reeled
	BLN : BALUN	Length, Width,	0 : 0.1 mm	Band		
		Thickness :	1 : 1.0 mm			
		e.g. :				
		201209 =				
		Length 20,				
		Width 12,				
		Thickness 09				

Minimum Ordering Quantity: 2000 pcs per reel.

### PACKAGING




### Plastic Tape specifications (unit :mm)

Index	Ao	Во	ΦD	Т	W
Dimension (mm)	$1.40\pm0.10$	$2.30\pm0.10$	$1.55\pm0.10$	$1.10\pm0.10$	$8.0\pm0.30$
Index	E	F	Po	P1	P2
Dimension (mm)	$1.75\pm0.10$	$3.50\pm0.05$	$4.00\pm0.10$	$4.00\pm0.10$	$2.00\pm0.10$



#### **Reel dimensions**



Typing Quantity: 2000 pieces per 7" reel

#### **CAUTION OF HANDLING**

#### Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

#### Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
  - Products should be storage in the warehouse on the following conditions.
  - Temperature : -10 to +40°C
  - Humidity : 30 to 70% relative humidity
  - Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
  - Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
  - Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
  - Products should be storage under the airtight packaged condition.