ASBOCIATION CONNECTING ELECTROMICS INDUSTRIES®	PC. Bannockt	ourn. Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	bstances v all lower	vithin the manufactu level materials for v	rer listed	tem. Note: nanufacture	if the item is an as r has engineering	sembly with low responsibility.	
				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					tion				
upplier Information														
Company name* Con			Company unique ID			Unique ID Authority				Respon	Response Date*			
nsemi										2023-06-08				
tact Name Title - Contact]	Phone - Contact*				Email - Contact*					
Product-Env-Stewards Product Enviro Com			ro Compliance	Compliance		NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			sentative]	Phone - Representative*			Email - Representative*					
Product-Env-Stewards Product E			luct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item	Number	Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
	LE25U4	E25U40CMC-AH S-Flash Memory(41		(4M)		2023-06-08		PI	РН8		82.16	mg	Each	
Ianufacturing Proccess Informat	tion		·			•								
Terminal Plating / Grid Array Ma	terial T	ial Terminal Base Alloy		J-STD-020 MSI	MSL Rating Pea		ak Process Body Temperature Max Time at Pea		c Tempera	ture Num	ber of Reflow Cyc	les		
Matte Tin (Sn) - annealed CU A		CU Alloy	3			260 C		С	30 seco		seconds 3			
omments														
FTENTION: MSL 3 Rated item requires	s Bake and D	ry Pack (after	electrical test)											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.06	mg	Supplier	Silicon (Si)	7440-21-3		2.0454	mg
			Supplier	Polyimide	Proprietary Data		0.0146	mg
Die Attach	0.26	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0598	mg
			Supplier	Silver (Ag)	7440-22-4		0.2002	mg
Lead Frame	34.98	mg	Supplier	Silver (Ag)	7440-22-4		0.6786	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0385	mg
			Supplier	Iron (Fe)	7439-89-6		0.8045	mg
			Supplier	Copper (Cu)	7440-50-8		33.4514	mg
			Supplier	Phosphorus (P)	7723-14-0		0.007	mg
Mold Compound-Black	43.34	mg		Epoxy Phenol Resin	proprietary data		4.9841	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2167	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		38.1392	mg
Plating	1.36	mg	Supplier	Tin (Sn)	7440-31-5		1.36	mg
Wire Bond	0.16	mg	Supplier	Palladium (Pd)	7440-05-3		0.0016	mg
			Supplier	Gold (Au)	7440-57-5		0.1584	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).