

PCN# : P64JAAB

Issue Date : May. 09, 2016

### **Information Only Notification**

This is to inform you that a change is being made to the following products.

This is a minor change that has no impact on product quality, reliability, electrical or mechanical performance. Affected products will remain fully compliant to all published specifications. Notification is being made for informational purposes only and there is no approval required. Products incorporating this change may be shipped interchangeably with existing unchanged products on or after the issue date of this notification.

Please contact your local Customer Quality Engineer if you have any questions regarding this notification.

#### **Implementation of change:**

Description of Change (From):

- 1. Operating Junction and Storage Temperature was "-65°C to 175°C"
- 2. Top Mark information was "FFPF10F150S"

Description of Change (To):

- 1. Operating Junction and Storage Temperature is corrected to "-65°C to 150°C"
- 2. Top Mark information is corrected to "F10F150S"

### Reason for Change:

This is a Datasheet change only.

- 1. Actual Operating Junction and Storage Temperature is "-65°C to 150°C"
- 2. Actual marking was already "F10F150S" from Y2003, correct top mark information in datasheet



# Affected Product(s):

FFPF10F150STU	FFPF10F150STU_T	



# **Appendix A: Changed Products**

D

PCN Number: P64JAAB

C1

Product	Customer Part Number	BBB	Drawing
FFPF10F150STU		Υ	N