

Product Change Notification / SYST-26DIJJ326

Date:

27-Jul-2022

Product Category:

8-bit Microcontrollers

PCN Type:

Document Change

Notification Subject:

Data Sheet - PIC18(L)F65/66K40 64-Pin, Low-Power, High-Performance Microcontrollers with XLP Technology Data Sheet

Affected CPNs:

SYST-26DIJJ326_Affected_CPN_07272022.pdf SYST-26DIJJ326_Affected_CPN_07272022.csv

Notification Text:

SYST-26DIJJ326

Microchip has released a new Datasheet for the PIC18(L)F65/66K40 64-Pin, Low-Power, High-Performance Microcontrollers with XLP Technology Data Sheet of devices. If you are using one of these devices please read the document located atPIC18(L)F65/66K40 64-Pin, Low-Power, High-Performance Microcontrollers with XLP Technology Data Sheet

Notification Status: Final

Description of Change: Updated the Pin Allocation table, Electrical Specification chapter, Section 33.1.4, Registers 33.7.3, 33.7.9 and 33.7.10; updated TQFP package drawing.

Impacts to Data Sheet: None

Change Implementation Status: Complete

Date Document Changes Effective: 27 Jul 2022

NOTE: Please be advised that this is a change to the document only the product has not been changed.

Markings to Distinguish Revised from Unrevised Devices::N/A

Attachments:

PIC18(L)F65/66K40 64-Pin, Low-Power, High-Performance Microcontrollers with XLP Technology Data Sheet

Please contact your local Microchip sales office with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to <u>receive Microchip PCNs via email</u> please register for our PCN email service at our PCN home page select register then fill in the required fields. You will find instructions about registering for Microchips PCN email service in the PCN FAQ section.

If you wish to <u>change your PCN profile</u>, <u>including opt out</u>, please go to the <u>PCN home page</u> select login and sign into your myMicrochip account. Select a profile option from the left navigation bar and make the applicable selections. Affected Catalog Part Numbers (CPN)

PIC18F65K40-E/MR PIC18F65K40-E/PT PIC18F65K40-I/MR PIC18F65K40-I/PT PIC18F65K40T-E/PT PIC18F65K40T-I/MR PIC18F65K40T-I/PT PIC18F66K40-E/MR PIC18F66K40-E/PT PIC18F66K40-E/PTVAO PIC18F66K40-I/MR PIC18F66K40-I/PT PIC18F66K40T-E/PT PIC18F66K40T-E/PTVAO PIC18F66K40T-I/MR PIC18F66K40T-I/PT PIC18LF65K40-E/MR PIC18LF65K40-E/PT PIC18LF65K40-I/MR PIC18LF65K40-I/PT PIC18LF65K40T-I/MR PIC18LF65K40T-I/PT PIC18LF66K40-E/MR PIC18LF66K40-E/PT PIC18LF66K40-I/MR PIC18LF66K40-I/PT PIC18LF66K40T-I/MR PIC18LF66K40T-I/PT